

PORTADINE MOBILE HYDRA GAS BBQ

The newly invented infused moisture system replaces lost water during the cooking process to deliver mouth-watering gourmet results you will love!






THE UNIT IS ECONOMICAL TO OPERATE PLUS HAS MANY OTHER FEATURES:

- Infrared honeycomb ceramic burner for uniform cooking heat distribution
- ✓ Dual Fuel operation (on board disposable gas cartridge or external LPG bottle)
- ✓ Seven skewers multi-position kebab vertical holders
- ✓ Spit & mesh rotisserie grill kits
- ✓ Innovative fast & slow hybrid cooking in one stage
- ✓ Use outdoors around home or out & about
- ✓ Integrated stove
- ✓ Instant start cooking

- ✓ Aromatic herbs can be added to the infusion tray for self-flavouring
- Green cooking with less energy consumption and air pollutants
- ✓ Automatic tip over gas & flame shut down function
- Automatic flame outage gas off safety switch
- Ceramic Burner equipped with oxygen depletion sensor
- Ceramic burner overtemperature safety gas cut off system
- Top burner motor mounting saftey disable device
- Easy to clean



IT IS EXTREMELY EASY TO CLEAN, SIMPLY RINSE THE MOISTURE TRAY & YOU ARE READY FOR YOUR NEXT BBQ!

The PortaDine Barbeque is ideal for parks, beaches, camping, road rest areas, perfect for open balconies, back yards and pool sides.

Last but not least our innovative special configured vertical burner layout design and the moisture infusion technique delivers succulent and healthy results every time. Your food is enveloped with moisture and has zero contact with the cooking surface, this helps to avoid unhealthy blackened burnt food.

The Hydra PortaDine BBQ is your healthy cooking solution allowing you fine dining anywhere anytime you choose.

ALL OF THIS

ANYWHERE, ANYTIME

PORTADINE MOBILE HYDRA GAS BBQ

MODEL	PB13
COLOUR	Black
PORTABILITY	Fold down carry handle
BURNER TYPE (BBQ)	Infrared honeycomb ceramic gas burner panel
BURNER TYPE (STOVE)	Top gas burner
GAS TYPE	Propane
FUEL	Integrated disposable gas cartridge or external LPG bottle via LPG hose connection
INJECTORS SIZE	BBQ: 1.29mm Stove: 0.68mm
GAS CONSUMPTION BBQ	20 Mj/h at High setting (Nominal)
GAS CONSUMPTION STOVE	5.5 Mj/h at High setting (Nominal)
GAS COMBINED BBQ & STOVE	25.5 Mj/h at High settings (Nominal)
OUTPUT PERFORMANCE	BBQ: 18770 BTU/h , Stove: 5161 BTU/h at High settings (Nominal)
RUN TIME ON 468g DISPOSABLE PROPANE GAS CARTRIDGE	BBQ: 1hr 25min (approx.) at High setting. 2hr 20min (approx.) at Low setting Stove: 4hr 15min (approx.) at High setting. 6hr 40min (approx.) at Low setting Combined BBQ/ Stove: 1hr 3min(approx.) both at High. 1hr 44min(approx.) both Low (hint: 7 kebab skewers average cooking time on PortaDine is less than 10 minutes at Hi setting, whole chicken average cooking time approx. 35 minutes at Lo setting
RUN TIME ON 9KG EXTERNAL PROPANE LPG GAS CYLINDER	BBQ: 27hr 15min (approx.) at High setting. 45hr (approx.) at Low setting Stove: 81hr 45min (approx.) at High setting. 128hr 34min (approx.) at Low Setting Combined BBQ/ Stove: 20hr 27min(approx.) both at Hi. 33hr 20min(approx.) both Lo (values may slightly vary depending on weather temperature and sea level height location)
SAFETY	Tip over safety switch, Flame outage gas cut off system, Ceramic burner equipped with oxygen depletion sensor, Heat limit safety cut off system, Top burner motor mounting safety disable device
IGNITION	Control-knob push in Piezo-electric spark ignition
ACCESSORIES SUPPLIED	1 x spit rotisserie kit, 1 x mesh rotisserie kit, 1 x LPG gas hose to suit POL gas bottl 3/8" gas bottle adaptor, dust protective cover, accessory carry bag
OPTIONAL ACCESSORIES	(Promotional gift pack of 1 x motor unit received with every PortaDine purchase) Rotisserie motor operates on 2 x D size batteries or 3 volt DC adaptor. (Note: Batteries and DC adaptor are not included).
UNIT DIMENSIONS PACKAGING BOX DIMENSIONS	282mm (Wide) x 313mm (Deep) x 637mm (H) excluding feet width and tray handle 400mm Width X 300mm Depth X 700mm Height with side pocket handles
WEIGHT	9.5kg (Unit only), Packaging gross weight: 13.2kg (Including Access. & Packaging)
REGULATOR INLET TYPE	1" - 20 UNEF Female thread connection
PROPANE GAS CARTRIDGE	Gas capacity: 468g, Dimensions: 200mm (Height) x 98mm (Diameter), Fitting: BOM Also known as 1"–20 UNEF fitting (Not included)
REQUIREMENTS	Outdoor Use Only - refer to product instuction manual



www.portadine.com.au (Specifications subject to change without notice)

